


## CAB 3™ marking system for wiring and Viking 3 terminal blocks



Same markers for cable and terminal blocks

0 381 51 mounted on Viking 3 terminal blocs



Technical characteristics p. 316

For marking wiring or Viking 3 terminal blocks

Pack	Cat.Nos	Markers for wiring 0.5 to 1.5 mm <sup>2</sup> cross-section and terminal blocks
		Strips of 20 markers Numbers: black on white background (available in black on yellow background on request)
240	0 381 50	01 to 20
240	0 381 51	21 to 40
240	0 381 52	41 to 60
240	0 381 53	61 to 80
240	0 381 54	81 to 100
240	0 381 55	Blank




Pack	Cat.Nos	Markers for wiring 1.5 to 2.5 mm <sup>2</sup> cross-section and terminal blocks
		Strips of 20 markers Numbers: black on white background (available in black on yellow background on request)
240	0 381 60	01 to 20
240	0 381 61	21 to 40
240	0 381 62	41 to 60
240	0 381 63	61 to 80
240	0 381 64	81 to 100
240	0 381 65	Blank



## marking label sheets for Viking 3 terminal blocks



0 395 20



0 395 05 on Viking 3 terminal blocks



0 395 98

For marking Viking 3 terminal blocks

Pack	Cat.Nos	Blank markers
		Displayed by sheet of 100 pre-cut markers Manual marking or via Logiccab 2 (p. 319)
1000	0 395 00	For blocks 5 mm pitch
1000	0 395 01	For blocks 6 mm pitch
1000	0 395 02	For blocks 8 mm pitch

### Numbers Reading of installed marker

Pack	Cat.Nos	Horizontal format
		<b>Pitch of 5 mm</b>
1000	0 395 05	From 1 to 10 (10 times)
1000	0 395 06	From 11 to 20 (10 times)
1000	0 395 07	From 21 to 30 (10 times)
1000	0 395 08	From 31 to 40 (10 times)
1000	0 395 09	From 1 to 50 (2 times)
1000	0 395 10	From 1 to 100
1000	0 395 11	From 101 to 200
		<b>Pitch of 6 mm</b>
1000	0 395 15	From 1 to 10 (10 times)
1000	0 395 16	From 11 to 20 (10 times)
1000	0 395 17	From 21 to 30 (10 times)
1000	0 395 18	From 31 to 40 (10 times)
1000	0 395 19	From 1 to 50 (2 times)
1000	0 395 20	From 1 to 100
1000	0 395 21	From 101 to 200

Pack	Cat.Nos	Black felt tip pen
10	0 395 98	Indelible for marking

Viking 3 terminal blocks (p. 296)

# CAB 3™ marking system


markers for wiring and Viking 3 terminal blocks



Perfect alignment of label holders



0 382 12



Terminal block with CAB 3 markers and label-holders

For marking wiring or Viking 3 terminal blocks

Pack	Cat.Nos		<p><b>Markers for wiring 0.15 to 0.5 mm<sup>2</sup> and 0.5 to 1.5 mm<sup>2</sup> cross-section and terminal blocks</b></p> <p>On Viking 3 terminal blocks                      - 4 markers 0.15 to 0.5 mm<sup>2</sup> max                      - 3 markers 0.5 to 1.5 mm<sup>2</sup> max.                      Pack:                      - Up to 0.5 mm<sup>2</sup>: strips of 25 markers                      From 0.5 mm<sup>2</sup> to 2.5 mm<sup>2</sup>: strips of 30 markers                      Price per marker</p> <p><b>Digits: international colour code</b></p>
	0.15 to 0.5 <sup>2</sup>	0.5 to 1.5 <sup>2</sup>	
1000	1200	0 381 00	0 382 10
1000	1200	0 381 01	0 382 11
1000	1200	0 381 02	0 382 12
1000	1200	0 381 03	0 382 13
1000	1200	0 381 04	0 382 14
1000	1200	0 381 05	0 382 15
1000	1200	0 381 06	0 382 16
1000	1200	0 381 07	0 382 17
1000	1200	0 381 08	0 382 18
1000	1200	0 381 09	0 382 19
300	0 381 10	0 383 00	A
300	0 381 11	0 383 01	B
300	0 381 12	0 383 02	C
300	0 381 13	0 383 03	D
300	0 381 14	0 383 04	E
300	0 381 15	0 383 05	F
300	0 381 16	0 383 06	G
300	0 381 17	0 383 07	H
300	0 381 18	0 383 08	I
300	0 381 19	0 383 09	J
300	0 381 20	0 383 10	K
300	0 381 21	0 383 11	L
300	0 381 22	0 383 12	M
300	0 381 23	0 383 13	N
300	0 381 24	0 383 14	O
300	0 381 25	0 383 15	P
300	0 381 26	0 383 16	Q
300	0 381 27	0 383 17	R
300	0 381 28	0 383 18	S
300	0 381 29	0 383 19	T
300	0 381 30	0 383 20	U
300	0 381 31	0 383 21	V
300	0 381 32	0 383 22	W
300	0 381 33	0 383 23	X
300	0 381 34	0 383 24	Y
300	0 381 35	0 383 25	Z
300	0 381 40	0 382 70	/
300	0 381 41	0 382 71	•
300	0 381 42	0 382 72	+
300	0 381 43	0 382 73	-
300	0 381 44	0 382 74	~
300	0 381 45	0 382 75	≡
300	0 381 46	0 382 76	⊕

**Letters: black on yellow background**

**Conventional symbols: black on yellow background**

Pack	Cat.Nos		<p><b>Markers for wiring 1.5 to 2.5 mm<sup>2</sup> and 4 to 6 mm<sup>2</sup> cross-section</b></p> <p>Pack:                      From 0.5 mm<sup>2</sup> to 2.5 mm<sup>2</sup>: strips of 30 markers                      - Upper 2.5 mm<sup>2</sup>: strips of 20 markers                      Price per marker</p> <p><b>Digits: international colour code</b></p>
	1.5 to 2.5 <sup>2</sup>	4 to 6 <sup>2</sup>	
1200	800	0 382 20	0 382 30
1200	800	0 382 21	0 382 31
1200	800	0 382 22	0 382 32
1200	800	0 382 23	0 382 33
1200	800	0 382 24	0 382 34
1200	800	0 382 25	0 382 35
1200	800	0 382 26	0 382 36
1200	800	0 382 27	0 382 37
1200	800	0 382 28	0 382 38
1200	800	0 382 29	0 382 39
300	0 383 30	0 383 60	A
300	0 383 31	0 383 61	B
300	0 383 32	0 383 62	C
300	0 383 33	0 383 63	D
300	0 383 34	0 383 64	E
300	0 383 35	0 383 65	F
300	0 383 36	0 383 66	G
300	0 383 37	0 383 67	H
300	0 383 38	0 383 68	I
300	0 383 39	0 383 69	J
300	0 383 40	0 383 70	K
300	0 383 41	0 383 71	L
300	0 383 42	0 383 72	M
300	0 383 43	0 383 73	N
300	0 383 44	0 383 74	O
300	0 383 45	0 383 75	P
300	0 383 46	0 383 76	Q
300	0 383 47	0 383 77	R
300	0 383 48	0 383 78	S
300	0 383 49	0 383 79	T
300	0 383 50	0 383 80	U
300	0 383 51	0 383 81	V
300	0 383 52	0 383 82	W
300	0 383 53	0 383 83	X
300	0 383 54	0 383 84	Y
300	0 383 55	0 383 85	Z
300	0 382 80	0 382 90	/
300	0 382 81	0 382 91	•
300	0 382 82	0 382 92	+
300	0 382 83	0 382 93	-
300	0 382 84	0 382 94	~
300	0 382 85	0 382 95	≡
300	0 382 86	0 382 96	⊕

**Letters: black on yellow background**

**Conventional symbols: black on yellow**

# CAB 3™ marking system accessories



## Pack Cat.Nos CAB 3 accessories


Pack	Cat.Nos	Description
<b>Marker-holders</b>		
For cables cross-section from 10 mm <sup>2</sup> to 70 mm <sup>2</sup> Capacity: 8 digits, letters or symbols markers from 0.5 to 1.5 mm <sup>2</sup> or 1.5 to 2.5 mm <sup>2</sup> cross section Black		
100	0 384 90	10 to 16 mm <sup>2</sup> cross-section
50	0 384 91	25 to 35 mm <sup>2</sup> cross-section
50	0 384 92	50 to 70 mm <sup>2</sup> cross-section
<b>Support for markers</b>		
100	0 383 92	Can be clipped on Viking 3 terminal blocks Capacity: 7 markers from 0.15 to 0.5 mm <sup>2</sup> 6 markers from 0.5 to 1.5 mm <sup>2</sup>
<b>Transparent applicators</b>		
For rapid selection and application of markers onto cable		
		For markers cross-section (mm <sup>2</sup> )
10	0 383 94	0.15 to 0.5
10	0 383 95	0.5 to 1.5
10	0 383 96	1.5 to 2.5
10	0 383 97	4 to 6
		Applicator colour for identification of cross-section
		green
		red
		blue
		yellow
<b>Set of markers (digits)</b>		
1	0 382 01	0.15 to 0.5 mm <sup>2</sup> : 2500 markers + 10 applicators (250 digits from 0 to 9)
1	0 382 02	0.5 to 1.5 mm <sup>2</sup> : 3000 markers + 10 applicators (300 digits from 0 to 9)
1	0 382 03	1.5 to 2.5 mm <sup>2</sup> : 3000 markers + 10 applicators (300 digits from 0 to 9)
1	0 382 04	4 to 6 mm <sup>2</sup> : 2000 markers + 10 applicators (200 digits from 0 to 9)
<b>On-site toolbox</b>		
1	0 382 00	With removable tray for CAB 3 markers and applicators, Starfix ferrules... Height 85 mm, depth 280 mm, width 450 mm Metal, padlockable Supplied empty

# CAB 3™ marking system for wiring and Viking 3 terminal blocks

## ■ Dimensions

### Markers

Polyamide 6/6



Dimensions	Cable cross-section (mm <sup>2</sup> )			
	0.15 to 0.5	0.5 to 1.5	1.5 to 2.5	4 to 6
A (mm)	5	5	5.6	8
B (mm)	5.05	6.4	7.6	9.6
C (mm)	3.7	4.3	4.9	7.1
D (mm)	2.3	3	3	3
Ø mini/maxi (mm)	0.8/2.2	2.2/3	2.8/3.8	4.3/5.3


Cat.Nos 0 381 50 to 0 381 55 et 0 381 60 to 0 381 65: no liking stud.  
D = 6 mm

### Marker holders

Cat.No 0 384 90


Cat.No 0 384 91

Cat.No 0 384 92




Dim.	Section of cable for marking (mm <sup>2</sup> )		
	10 to 16	25 to 35	50 to 70
B (mm)	18	24.3	27.2
C (mm)	8.9	12.2	17.2
D (mm)	7	7	10

### Support for markers Cat.No 0 383 92



## ■ Characteristics and dimensions of on-site toolbox

Cat.No 0 382 00



Bottom tray consists of:

- 8 medium slots (around 8 CAB 3 boxes)
- 1 large slot

Top tray consists of:

- 12 small slots (<=> approx. 6 boxes of CAB 3)
- 1 medium slot for applicators

Capacity: approx. 15000 CAB 3 markers

## ■ Examples

On terminal blocks with support Cat.No 0 383 92



On power terminal blocks



On cable with marker-holder Cat.No 0 384 92



# Memocab™ marking system for wiring



Marking system with closed ring  
High resistance in very aggressive environments

Pack	Cat.Nos	Marker-holders for wiring			
		<b>Length of marking : 12 mm</b>			
		4 markers or 1 Logicab marker Cat. No 0 385 03			
		Section (mm <sup>2</sup> )		Ø (mm)	
		min.	max.	min.	max.
1000	0 379 27	0.25	1.5	1.3	3.5
1000	0 379 28	0.75	4	2.3	4.8
		<b>Length of marking : 15 mm</b>			
		6 markers			
1000	0 379 30	0.25	1.5	1.3	3.5
1000	0 379 31	0.75	4	2.3	4.8
500	0 379 32	4	16	4.2	7.6
		<b>Length of marking : 18 mm</b>			
		7 markers or 1 Logicab marker Cat. No 0 385 05			
1000	0 379 36	0.25	1.5	1.3	3.5
1000	0 379 37	0.75	4	2.3	4.8
500	0 379 38	4	16	4.2	7.6
500	0 379 33	16	50	7.6	12.5
200	0 379 34	50	95	12.5	19
100	0 379 35	95	300	19	29.5
		<b>Length of marking : 30 mm</b>			
		7 markers or 1 Logicab marker Cat. No 0 385 08			
500	0 379 40	0.25	1.5	1.3	3.5
500	0 379 41	0.75	4	2.3	4.8
200	0 379 42	4	16	4.2	7.6
200	0 379 43	16	50	7.6	12.5
		<b>Length 500 mm (to be cut)</b>			
10	0 379 44	0.75	4	2.3	4

Pack	Cat.Nos	Marker-holders for simultaneous marking of both ends			
		Pre-cut label holders in rolls			
		<b>Length of marking : 18 mm</b>			
		7 markers or 1 Logicab marker Cat. No 0 385 05			
		Section (mm <sup>2</sup> )		Ø (mm)	
		min.	max.	min.	max.
1000	0 379 20	0.25	1.5	1.3	3.5
1000	0 379 21	0.75	4	2.3	4.8
500	0 379 22	4	16	4.2	7.6
		<b>Length of marking : 30 mm</b>			
		12 markers or 1 Logicab marker Cat. No 0 385 08			
500	0 379 10	0.25	1.5	1.3	3.5
500	0 379 11	0.75	4	2.3	4.8

Pack	Cat.Nos	Marker-holders for cables	
		Fixing with Colring cable ties	
100	0 377 12	Length of marking : 20 mm (8 markers or 1 marker Logicab Cat.No 0 385 05)	
200	0 387 42	Length of marking : 30 mm (12 markers or 1 marker Logicab Cat.No 0 385 08)	
		<b>Marker-holders for all devices</b>	
100	0 377 10	Adhesive Length of marking : 17.5 mm (7 markers or 1 marker Logicab Cat.No 0 385 05)	
		<b>Accessories</b>	
		<b>Double dispenser board</b>	
1	0 379 91	For 48 strips of markers (supplied empty)	
		<b>Selecting prong</b>	
		For selecting the markers and placing them in the label holder	
10	0 379 90	For 30 mm marker holders	
10	0 379 92	For 15 mm marker holders	
10	0 379 89	Double for 30 or 18 mm marker holders (for simultaneous marking of both ends)	
		<b>Extractor</b>	
10	0 379 93	For 15 mm marker holders	

Colring cable ties (p. 293)

# Memocab™ marking system





## for wiring (continued)



0 378 01 to 0 378 10




0 378 05 + 2 x 0 378 06 + 0 378 01  
+ 0 378 10 + 0 378 09 + 0 378 08  
in a label holder Cat.No 0 379 38

Pack	Cat.Nos	Markers
		Supplied in strips of 24 markers (unit price per marker)
		<b>Numbers on colour background</b>
		Black or white marking (international colour code)
600	0 378 01	Purple 7
600	0 378 02	Orange 3
600	0 378 03	White 9
600	0 378 04	Grey 8
600	0 378 05	Green 5
600	0 378 06	Yellow 4
600	0 378 07	Brown 1
600	0 378 08	Blue 6
600	0 378 09	Black 0
600	0 378 10	Red 2
		 0 378 06
		<b>Numbers on white background</b>
		Black marking
600	0 377 80	0
600	0 377 81	1
600	0 377 82	2
600	0 377 83	3
600	0 377 84	4
600	0 377 85	5
600	0 377 86	6
600	0 377 87	7
600	0 377 88	8
600	0 377 89	9
		 0 377 85
		<b>Capital letters</b>
		Black marking on white background
240	0 378 26	A
240	0 378 27	B
240	0 378 28	C
240	0 378 29	D
240	0 378 30	E
240	0 378 31	F
240	0 378 32	G
240	0 378 33	H
240	0 378 34	I
240	0 378 35	J
240	0 378 36	K
240	0 378 37	L
240	0 378 38	M
240	0 378 39	N
240	0 378 40	O
240	0 378 41	P
240	0 378 42	Q
240	0 378 43	R
240	0 378 44	S
240	0 378 45	T
240	0 378 46	U
240	0 378 47	V
240	0 378 48	W
240	0 378 49	X
240	0 378 50	Y
240	0 378 51	Z
		 0 378 30
		<b>Conventional symbols</b>
		Black marking on white background
240	0 379 54	/
240	0 379 55	•
240	0 379 56	+
240	0 379 57	-
240	0 379 58	~
240	0 379 59	≡
240	0 379 60	⊥
		 0 379 56


# Memocab™ marking system

## for wiring

### Installation




1 Simultaneous marking of both ends



2 Use of double selecting prong



3 Installation in double marker-holder



The double strip can be used on site, where each marker-holders of both side will be placed on conductors